SPECIFICATION CONTROL DRAWING

0024C8422

CHEMINAX

.0241

.053

.114

.131

.149

otherwise specified.

100 OHM, AWG 24, 7 STRANDS OF AWG 32, TWINAXIAL CABLE

Date 1-4-08
Revision A

THIS SPECIFICATION SHEET FORMS A PART OF THE LATEST ISSUE OF RAYCHEM SPECIFICATION 1200.

CONSTRUCTION DETAILS

CONDUCTORS

Copper

WRAP

SHIELD

JACKET

Modified FEP

AWG 38.

Aluminum Polyester

Silver-Coated Copper

DIELECTRICS

AWG 24, 7 Strands of

AWG 32, Silver-Coated

ELECTRICAL CHARACTERISTICS

DIMENSIONS ARE NOMINAL VALUES IN INCHES UNLESS OTHERWISE DESIGNATED.

CHARACTERISTIC IMPEDANCE

100 ± 15 ohms from 1 MHz to 100

MHz per TIA 568

MUTUAL CAPACITANCE

13.0 pF/ft. at 1 KHz (nominal)

VELOCITY OF PROPAGATION

76% (nominal)

VELOCITI OI I NOI AGATION

7070 (HOHIII)

ADDITIONAL ELECTRICAL REQUIREMENTS ON PAGE 2

ADDITIONAL REQUIREMENTS

Rayfoam H
Colors - White/Light Blue ELECTRICAL

CONDUCTOR RESISTANCE 23.9 ohms/1000 ft. (nominal)

INSULATION RESISTANCE 10,000 megohms (minimum)

for 1000 ft.

JACKET FLAWS

SPARK TEST 1.0 kV (rms)
IMPULSE TEST 6.0 kV (peak)

VOLTAGE WITHSTAND (DIELECTRIC) 1000 volts (rms) (minimum)

ENVIRONMENTAL

FLAMMABILITY Method B HEAT SHOCK 225°C

LOW TEMPERATURE-COLD BEND -55°C/4.00 inch mandrel

VOLTAGE WITHSTAND (Post Environmental)

1000 volts (rms),1 minute

Aluminum side facing out

PHYSICAL

INSULATION (DIELECTRIC)

(Prior to Cabling)

ELONGATION 50% (minimum)
TENSILE STRENGTH 600 lbf/in² (minimum)

JACKET

ELONGATION 200% (minimum)
TENSILE STRENGTH 2000 lbf/in² (minimum)

JACKET THICKNESS .009 inch (nominal)

SHIELD COVERAGE 95% (minimum)

WRAP .002 inch thick (nominal) 25% overlap (minimum)

Outer jacket color will be translucent white (designated by a "-9X" appended to the part number, e.g. 0024C8422-9X) unless

with MIL-STD-681. Other codes and suffixes may be added to the part number, as necessary, to capture any additional

WEIGHT 17.6 lbs/1000 ft. (nominal)

Users should evaluate the suitability of this product for their application. Specifications are subject to change without notice. Tyco Electronics also reserves the right to make changes in materials or processing, which do not affect compliance with any specification, without notification to Buyer.

The TE logo, Tyco Electronics, Cheminax, Raychem and Rayfoam are trademarks.



requirements imposed by the purchase order.

Designate outer jacket color with a dash number in accordance

CHEMINAX

SPECIFICATION CONTROL DRAWING

0024C8422Page 2 of 2 A

TABLE I. ELECTRICAL PARAMETERS			
Frequency (MHz)	Insertion Loss dB/100m (maximum)	Return Loss dB/100m (minimum)	Propagation Delay ns/100m max
1.0	2.4	20.0	570
4.0	4.9	23.0	552
8.0	6.9	24.5	547
10.0	7.8	25.0	545
16.0	9.9	25.0	543
20.0	11.1	25.0	542
25.0	12.5	24.2	541
31.25	14.1	23.3	540
62.5	20.4	20.7	539
100.0	26.4	19.0	538

Note: Values are for reference only. Actual values shall be determined utilizing the formulas in ANSI/TIA-568-B.2.