10-6-06

Н



.135

.156

.176

(nominal)

.189

(maximum)

50 OHM, AWG 20, 19 STRANDS OF AWG 32, COAXIAL CABLE

THIS SPECIFICATION SHEET FORMS A PART OF THE LATEST ISSUE OF RAYCHEM SPECIFICATION 1200

## CONSTRUCTION DETAILS

## **ELECTRICAL CHARACTERISTICS**

DIMENSIONS ARE NOMINAL VALUES IN INCHES UNLESS OTHERWISE DESIGNATED.

CONDUCTOR

AWG 20, 19 Strands of AWG 32, Silver-Coated Copper

CHARACTERISTIC IMPEDANCE 50 ± 2 ohms, Method A

CAPACITANCE 28.2 pF/ft. (nominal)

VELOCITY OF PROPAGATION 72% (nominal)

ATTENUATION 11.0 dB/100 ft. (maximum) at 400 MHz

5.0 dB/100 ft. (maximum) at 100 MHz

Date:

Revision:

# .114 DIELECTRIC Rayfoam® H Color - White

1ST SHIELD

2ND SHIELD

AWG 36

JACKET Modified FEP

Silver-Coated Copper

Silver-Coated Copper

AWG 36

# **ADDITIONAL REQUIREMENTS**

#### **ELECTRICAL**

CONDUCTOR RESISTANCE 8.87 ohms/1000 ft. (maximum) INSULATION RESISTANCE 10,000 megohms (minimum)

for 1000 ft.

JACKET FLAWS

SPARK TEST 1.0 kV (rms) IMPULSE TEST 6.0 kV (peak)

VOLTAGE WITHSTAND

(DIELECTRIC) 1000 volts (rms) (minimum)

## ENVIRONMENTAL

FLAMMABILITY Method B HEAT SHOCK 225°C

LOW TEMPERATURE- -55°C/5.00 inch mandrel

COLD BEND

VOLTAGE WITHSTAND 1000 volts (rms), 1 minute

(POST ENVIRONMENTAL)

### **PHYSICAL**

INSULATION (DIELECTRIC)

ELONGATION 50% (minimum)
TENSILE STRENGTH 600 lbf/in² (minimum)

JACKET

ELONGATION 200% (minimum)
TENSILE STRENGTH 2000 lbf/in² (minimum)
JACKET THICKNESS .010 inch (nominal)
SHIELD COVERAGE 90% (minimum)

Jacket color will be transparent white (designated by a "-9X" appended to the part number, e.g., 5020G3442-9X) unless otherwise specified.

Designate outer jacket color with a dash number in accordance with MIL-STD-681. Other codes and suffixes may be added to the part number, as necessary, to capture any additional requirements imposed by the purchase order.

WEIGHT

36.4 lbs/1000 ft. (maximum)

Users should evaluate the suitability of this product for their application. Specifications are subject to change without notice.

Tyco Electronics also reserves the right to make changes in materials or processing, which do not affect compliance with any specification, without notification to Buyer.

