CHEMINAX

DESIGNATED.

.019

.047 ±

.003

064

.084

(nominal)

097

(maximum)

50 OHM, AWG 26, 7 STRANDS OF AWG 34, COAXIAL CABLE

Date:

G

Revision:

THIS SPECIFICATION SHEET FORMS A PART OF THE LATEST ISSUE OF RAYCHEM SPECIFICATION 1200

CONSTRUCTION DETAILS

CONDUCTOR

Alloy

DIELECTRIC

Rayfoam® L

SHIELD

JACKET

Thermorad® S

AWG 38

Tin-Coated Copper

Color - Natural

AWG 26, 7 Strands of

AWG 34, Silver-Coated

High Strength Copper

DIMENSIONS ARE NOMINAL VALUES IN INCHES UNLESS OTHERWISE

CHARACTERISTIC IMPEDANCE

50 ± 2 ohms, Method A

CAPACITANCE

27.1 pF/ft. (nominal)

ELECTRICAL CHARACTERISTICS

28.2 pF/ft. (maximum)

75% (nominal)

VELOCITY OF PROPAGATION

ADDITIONAL REQUIREMENTS

ELECTRICAL

CONDUCTOR RESISTANCE INSULATION RESISTANCE

43.9 ohms/1000ft. (nominal) 10,000 megohms (minimum)

for 1000 ft.

JACKET FLAWS

SPARK TEST 1.0 kV, 60 Hz (rms) IMPULSE TEST 6.0 kV, (peak)

VOLTAGE WITHSTAND

(DIELECTRIC) 1000 volts (minimum)

ENVIRONMENTAL

AGING STABILITY **FLAMMABILITY**

135°C/-55°C/2.50 inch mandrel

HEAT SHOCK

Method C `225°C

LOW TEMPERATURE-

-55°C/2.50 inch mandrel

COLD BEND

VOLTAGE WITHSTAND

(POST ENVIRONMENTAL)

1000 volts (rms), 1 minute

PHYSICAL

INSULATION (DIELECTRIC)

ELONGATION TENSILE STRENGTH 50% (minimum) 1000 lbf/in2 (minimum)

JACKET

ELONGATION TENSILE STRENGTH JACKET THICKNESS

250% (minimum) 2000 lbf/in2 (minimum) .008 inch (minimum)

SHIELD COVERAGE

.010 inch (nominal) 90% (minimum)

Outer jacket shall be marked in contrasting color at 6 inch (minimum), 12 inch (maximum) intervals with the following: "5026A1314 06090"

Outer jacket color will be black (designated by a "-0" appended to the art number, e.g., 5026A1314-0) unless otherwise specified.

Designate outer lacket color with a dash number in accordance with MIL-STD-681

WEIGHT

5.6 lbs/1000 ft. (nominal)