NOTES:

8,9 [.348]


RECOMMENDED MOUNTING

HOLE DIMENSIONS SCALE 4.000

I. MATERIALS OF CONSTRUCTION:
BODY & HEX NUT = BRASS (QQ-B-626), NICKEL PLATED
LOCKWASHER & LOCK RING = BRASS (QQ-B-613), NICKEL PLATED
BRAID GROUNDING = BRASS (QQ-B-613), BRIGHT TIN PLATED
CONTACT PIN = PHOSPHOR BRONZE, SILVER PLATED
INSULATOR = NYLON, COLOR WHITE

2. RECOMMENDED TORQUE: A MAXIMUM TORQUE OF 12 INCH-LBS MAY BE APPLIED ON HEX NUT WHEN MOUNTING CONNECTOR IN PANEL.

3 I - I 0 - RF X		REVISIONS								
DRAWING NO.	REV	DESCRIPTION	DATE	ECO	APPR					
THIRD ANGLE PROJ. 🕀 🖯		RELEASE TO MFG.								
	F	SEE SHEET I	10/2/00	43458	СРМ					
	G	SEE SHEET I	2/12/07	46440	СРМ					



THIS CONNECTOR IS COVERED BY U.S. PATENT 3,396,132

CUSTOMER OUTLINE DRAWING

ALL OTHER SHEETS ARE FOR INTERNAL USE ONLY

UNLESS OTHERWISE SPECIFIED, 0.5 - 6mm ±0.2mm	DIMENSIONS ARE IN MM 6 - 30mm ±0.4mm	(INCHES) AND TOLERANCES ARE 30 - 120mm \pm 0.6mm	MATERIAL	DRAWN C. McGRATH	DATE 7/24/00	BNC BULKHEAD	Amphenol Corporation
NOTICE - These drawings, specifications, or other data (I) are, and remain the property of Amphenol Corp. (2) must be returned upon request; and (3) are confidential and not to be disclosed to any person other than those to whom they are given by Amphenol Corp. The furnishing of these drawings, specifications, or other data by Amphenol Corp., or to any other person to anyone for any purpose is not to be regarded by implication or otherwise in any manner licensing, granting rights or permitting such holder or any other person to manufacture, use or sell any product, process or design, patented or otherwise, that may in any way be related to or disclosed by said drawings. specifications, or other data.				ENGINEER T. AUBIN APPROVED T. AUBIN	DATE 7/24/00 DATE 9/13/00	RECEPTACLE ISOLATED JACK	Communication and Network Products Division
							Danbury, CT U.S.A. 06810
							SCALE: 4.0:1 SHEET 2 OF 2
				CAD FILE CODE ID		CODE ID DWG SIZEDRA	
				I:\BNC\3I-IO-RFX		74868 B	3 - 0 - R F X