

REVISIONS								
REV	ECO	DESCRIPTION	DATE	BY	APPR			
А3	-	RELEASE NEW DWG FORMAT	26DEC13	DRP				


PLUG, 3 SOCKET, AT SERIES


AT06-3S-XXX


23














MATERIAL:

HOUSING: THERMOPLASTIC SEAL: SILICONE RUBBER

- 2. MODIFICATIONS: N/A
- 3. SPECIFICATIONS:
  - 3.1 CURRENT RATING: 13 AMPS
  - 3.2 OPERATING TEMPERATURE: -55°C TO +125°C
  - 3.3 DIELECTRIC WITHSTANDING VOLTAGE: LESS THAN 2 MILLIAMPS CURRENT LEAKAGE @ 1500 VOLTS AC.
  - 3.4 INSULATION RESISTANCE: 1000 MEGOHMS MIN @ 25°C.
  - 3.5 MOISTURE RESISTANCE: IP67 (MATED CONDITION)
  - 3.6 MATING CYCLE DURABILITY: 100 CYCLES
  - 3.7 RoHS COMPLIANT
- 4. MATING PART: AT04-3P\* RECEPTACLE (\* = MODIFICATIONS AND COLORS)
- 5. ALL DIMENSIONS ARE FOR REFERENCE USE ONLY.
- 6 CONTACT SIZE AND REAR SEAL WIRE RANGE:

CONTACT	MIN. INSUL	MAX. INSUL	TYPICAL
SIZE	O.D.	O.D.	WIRE RANGE
16	2.24 mm (.088 in)	3.68 mm (.145 in)	



PART NUMBER CHART				
COLOR	PART NUMBER			
GREY	AT06-3S			
BLACK	AT06-3S-BLK			
BLUE	AT06-3S-BLU			
BROWN	AT06-3S-BRN			
GREEN	AT06-3S-GRN			
RED	AT06-3S-RED			
WHITE	AT06-3S-WHT			
YELLOW	AT06-3S-YEL			

ADDITIONAL COLORS SHOWN IN PART NUMBER CHART ARE AVAILABLE VIA SPECIAL ORDER.

STANDARD MOLDED COLOR IS GREY.

AMPHENOL.

SEE PART NUMBER CHART DESCRIPTION ITEM PART NUMBER MATERIALS LIST QUANTITY UNLESS OTHERWISE SPECIFIED **Amphenol** SIGNATURES DATE 1) All dimensions are in metric(mm) D.PARKS 26DEC13 1 PL DEC ±0.30 2 PL DEC ±0.15 3 PL DEC ±0.08 Fractions ±1/64 Angles ±1° Sine Systems - www.amphenol-sine.com 44724 Morley Drive 3) Note reference = X Clinton Township, MI 48036 MATERIAL SPECIFICATIONS: PLUG, 3 SOCKET, AT SERIES THIS DRAWING IS SUPPLIED FOR INFORMATION ONLY. DESIGN FEATURES, SPECIFICATIONS AND PERFORMANCE DATA SIZE PROCESS SPECIFICATIONS SHOWN HEREON ARE THE PROPERTY OF AT06-3S-XXX **A3** B C-THE AMPHENOL CORPORATION. NO RIGHT OF REPRODUCTION ARE IMPLIED. ALL DIMENSIONS ARE SUBJECT TO NORMAL MANUFACTURING VARIATIONS. SCALE: NONE NEXT ASS'Y: SHEET 1