

111-12860



Article Number: 111-12860

Description: Heavy-Duty Cable Tie, 8.9" Long, 120lb Tensile Strength, PA66UV, Black, 50/pkg

Base Data	Local Order Number	T120S0UVK2
	Type	T120S
	Color	Black (BK)
	Features and Benefits	<ul style="list-style-type: none"> <li>• UV stabilized heavy-duty cable ties contain an inhibitor which prolongs the life of the tie in UV exposures.</li> <li>• Head design provides high tensile strength with very low insertion force.</li> <li>• Bent tail ensures a quick and simple installation.</li> </ul>
	Quantity Per	pieces
	Product Description	HellermannTyton heavy duty cable ties offer a higher tensile strength for heavy load applications. The head design guarantees high tensile strength, as well as a low insertion force. The bent tail design allows quick and simple installations by hand. For high volume applications, tensioning tools are available to ensure consistent and safe installation.
	Short Description	Heavy-Duty Cable Tie, 8.9" Long, 120lb Tensile Strength, PA66UV, Black, 50/pkg
	Product Dimensions	Minimum Tensile Strength (Imperial)
Minimum Tensile Strength (Metric)		535.0N
Length L (Imperial)		8.9"
Length L (Metric)		225.0mm
Fixation Method		None
Identification Plate Position		none
Releasable Closure		No
Tie Closure		plastic pawl
Variant		Inside Serrated
Width W (Imperial)		0.3"
Width W (Metric)		7.6mm
Bundle Diameter Min. (Imperial)		0.2"
Bundle Diameter Min. (Metric)		5.0mm

111-12860



Product Dimensions	Bundle Diameter Max. (Imperial)	2.2"
	Bundle Diameter Max. (Metric)	55.0mm
	Thickness T (Imperial)	0.06"
	Cable Tie Head Length (Imperial)	0.393"
	Cable Tie Head Width (Imperial)	0.502"
	Thickness T (Metric)	1.6mm
Material and Specifications		
	Material	Polyamide 6.6 UV-resistant (PA66UV)
	Material Shortcut	PA66UV
	Flammability	UL 94 V2
	Halogenfree	Yes
	Operating Temperature	-40°F to +185°F (-40°C to +85°C)
	ROHS Compliant	Yes
Certification/Specification	UL-ZODZ2.E64139	
Logistic and Packaging		
	Package Quantity (Imperial)	50
	Package Quantity (Metric)	50
	Customs Number(Schedule B)	3926909987
	Weight (Metric)	4.7kg