
I			REVISIONS			
Ī	REV	ECO	DESCRIPTION	DATE	BY	APPR
	B1	-	RELEASED DRAWING	JAN-18-2014	ARROW	TOMMY

TITLE: ECO-MATE, SOCKET CONTACT, MACHINE, 16-18AWG, SIZE 16 DWG NO:

MS16M23xx

REV: **B1** SH: 1



NOTES: (UNLESS OTHERWISE SPECIFIED)

1. MATERIAL:

1.1. CONTACT BODY: COPPER ALLOY.
1.2. POSITIONING CLIP: COPPER ALLOY.
1.3. CROWN CONTACT: COPPER ALLOY.

2. SPECIFICATIONS:

2.1 CURRENT RATING: 13A(MAX).
2.2 TERMINATION TYPE: CRIMPING.
2.3 WIRE RANGE: 16~18AWG.
3. SUITABLE SOCKET TYPE: MP16M23xx.

4. ROHS COMPLIANT.

5. ALL DIMENSIONS ARE FOR REFERENCE USE ONLY.

P/N	CONTACT PLATING(MATING AREA)				
MS16M23T	TIN PLATING OVER NICKEL.				
MS16M23S	SILVER PLATING OVER NICKEL.				
MS16M23F	GOLD FLASH PLATING OVER NICKEL.				
MS16M23G10	10μ"GOLD PLATING OVER NICKEL.				
MS16M23G15	15µ"GOLD PLATING OVER NICKEL.				
MS16M23G30	30μ"GOLD PLATING OVER NICKEL.				

QUANTITY PART N		IUMBER	DESCRIPTION			ITEM		
MATERIALS LIST								
	WISE SPECIFIED	SIGNATURE	S DATE		mnho	nal		
All dimensions are in metric(m Tolerances are as follows: PL DEC +0.30		DRAWN: ARROW JAN-17-2014		Amphenol				
2 PL DEC ±0.15 3 PL DEC ±0.08	Angles ±1°	CHECKED:		Sine Systems - www.amphenol-sine.com			com	
3) Note reference = \(\times \) MATERIAL SPECIFICATIONS:		ENGINEER:		44724 Morley Drive Clinton Township, MI 48036				
		APPROVAL:			ton rounding, iiii 10000			
		CUSTOMER:		ECO-MATE,SOCKET CONTACT				
		THIS DRAWING IS SUPPLIED FOR INFORMATION ONLY, DESIGN FEATURES.		MACHINE, 16-18AWG, SIZE 16				
PROCESS SPECIFICA	PROCESS SPECIFICATIONS:		SPECIFICATIONS AND PERFORMANCE DATA SHOWN HEREON ARE THE PROPERTY OF THE AMPHENOL CORPORATION. NO RIGHTS OF REPRODUCTION ARE IMPLIED. ALL DIMENSIONS ADE SI IN LICTLY TO MODMAI		MS16M2		B1	
NEXT ASS'Y:		MANUFACTURING VARIATIONS.		SCALE: NONE		SHEET 1 OF	1	