

Pitch, Unguided,
Open Endwall,
14 Columns, 252
Circuits, Pin Length
5.50mm, Plated
Through Hole
Dimension 0.46mm,
Lead-Free
Impact™ 100 Ohm 0761451706
6 Pair Vertical
Backplane Header,
1.90 by 1.35mm
Pitch, Unguided,
Open Endwall,
14 Columns, 252
Circuits, Pin Length
4.50mm, Plated
Through Hole
Dimension 0.39mm,
Lead-Free
Impact™ 100 Ohm 0761451707
6 Pair Vertical
Backplane Header,
1.90 by 1.35mm
Pitch, Unguided,
Open Endwall,
14 Columns, 252
Circuits, Pin Length
4.90mm, Plated
Through Hole
Dimension 0.39mm,
Lead-Free
Impact™ 100 Ohm 0761451716
6 Pair Vertical
Backplane Header,
1.90 by 1.35mm
Pitch, Unguided,
Left Endwall, 14
Columns, 252
Circuits, Pin Length
4.50mm, Plated
Through Hole
Dimension 0.39mm,
Lead-Free
Impact™ 100 Ohm 0761451717
6 Pair Vertical
Backplane Header,
1.90 by 1.35mm
Pitch, Unguided,
Left Endwall, 14
Columns, 252
Circuits, Pin Length
4.90mm, Plated
Through Hole
Dimension 0.39mm,
Lead-Free
Impact™ 100 Ohm 0761451718
6 Pair Vertical
Backplane Header,
1.90 by 1.35mm
Pitch, Unguided,
Left Endwall, 14
Columns, 252
Circuits, Pin Length
5.50mm, Plated

Through Hole
Dimension 0.39mm,
Lead-Free
Impact™ 100 Ohm 0761451723
6 Pair Vertical
Backplane Header,
1.90 by 1.35mm
Pitch, Unguided,
Dual Endwall, 14
Columns, 252
Circuits, Pin Length
4.50mm, Plated

Through Hole
Dimension 0.46mm,
Lead-Free
Impact™ 100 Ohm 0761451725
6 Pair Vertical
Backplane Header,
1.90 by 1.35mm
Pitch, Unguided,
Dual Endwall, 14
Columns, 252
Circuits, Pin Length
5.50mm, Plated

Through Hole
Dimension 0.46mm,
Lead-Free
Impact™ 100 Ohm 0761451726
6 Pair Vertical
Backplane Header,
1.90 by 1.35mm
Pitch, Unguided,
Dual Endwall, 14
Columns, 252
Circuits, Pin Length
4.50mm, Plated

Through Hole
Dimension 0.39mm,
Lead-Free
Impact™ 100 Ohm 0761451727
6 Pair Vertical
Backplane Header,
1.90 by 1.35mm
Pitch, Unguided,
Dual Endwall, 14
Columns, 252
Circuits, Pin Length
4.90mm, Plated

Through Hole
Dimension 0.39mm,
Lead-Free
Impact™ 100 Ohm 0761451728
6 Pair Vertical
Backplane Header,
1.90 by 1.35mm
Pitch, Unguided,
Dual Endwall, 14
Columns, 252
Circuits, Pin Length
5.50mm, Plated

Through Hole
Dimension 0.39mm,
Lead-Free
Impact™ 100 Ohm 0761451738
6 Pair Vertical

Backplane Header,
1.90 by 1.35mm
Pitch, Unguided,
Right Endwall,
14 Columns, 252
Circuits, Pin Length
5.50mm, Plated
Through Hole
Dimension 0.39mm,
Lead-Free
Impact™ 100 Ohm 0761453704
6 Pair Vertical
Backplane Header,
1.90 by 1.35mm
Pitch, Left Guided,
Open Endwall,
14 Columns, 252
Circuits, Pin Length
4.90mm, Plated
Through Hole
Dimension 0.46mm,
Lead-Free
Impact™ 100 Ohm 0761453705
6 Pair Vertical
Backplane Header,
1.90 by 1.35mm
Pitch, Left Guided,
Open Endwall,
14 Columns, 252
Circuits, Pin Length
5.50mm, Plated
Through Hole
Dimension 0.46mm,
Lead-Free
Impact™ 100 Ohm 0761453707
6 Pair Vertical
Backplane Header,
1.90 by 1.35mm
Pitch, Left Guided,
Open Endwall,
14 Columns, 252
Circuits, Pin Length
4.90mm, Plated
Through Hole
Dimension 0.39mm,
Lead-Free
Impact™ 100 Ohm 0761453708
6 Pair Vertical
Backplane Header,
1.90 by 1.35mm
Pitch, Left Guided,
Open Endwall,
14 Columns, 252
Circuits, Pin Length
5.50mm, Plated
Through Hole
Dimension 0.39mm,
Lead-Free
Impact™ 100 Ohm 0761455704
6 Pair Vertical
Backplane Header,
1.90 by 1.35mm
Pitch, Right Guided,
Open Endwall,
14 Columns, 252

Circuits, Pin Length
4.90mm, Plated
Through Hole
Dimension 0.46mm,
Lead-Free
Impact™ 100 Ohm 0761455705
6 Pair Vertical
Backplane Header,
1.90 by 1.35mm
Pitch, Right Guided,
Open Endwall,
14 Columns, 252
Circuits, Pin Length
5.50mm, Plated
Through Hole
Dimension 0.46mm,
Lead-Free
Impact™ 100 Ohm 0761455707
6 Pair Vertical
Backplane Header,
1.90 by 1.35mm
Pitch, Right Guided,
Open Endwall,
14 Columns, 252
Circuits, Pin Length
4.90mm, Plated
Through Hole
Dimension 0.39mm,
Lead-Free
Impact™ 100 Ohm 0761455708
6 Pair Vertical
Backplane Header,
1.90 by 1.35mm
Pitch, Right Guided,
Open Endwall,
14 Columns, 252
Circuits, Pin Length
5.50mm, Plated
Through Hole
Dimension 0.39mm,
Lead-Free
Impact™ 100 Ohm 0761457707
6 Pair Vertical
Backplane Header,
1.90 by 1.35mm
Pitch, Left Guided,
Right Endwall,
14 Columns, 252
Circuits, Pin Length
4.90mm, Plated
Through Hole
Dimension 0.39mm,
Lead-Free
Impact™ 100 Ohm 0761457708
6 Pair Vertical
Backplane Header,
1.90 by 1.35mm
Pitch, Left Guided,
Right Endwall,
14 Columns, 252
Circuits, Pin Length
5.50mm, Plated
Through Hole
Dimension 0.39mm,
Lead-Free

Impact™ 100 Ohm 0761459707
6 Pair Vertical
Backplane Header,
1.90 by 1.35mm
Pitch, Right Guided,
Left Endwall, 14
Columns, 252
Circuits, Pin Length
4.90mm, Plated
Through Hole
Dimension 0.39mm,
Lead-Free

Impact™ 100 Ohm 0761459708
6 Pair Vertical
Backplane Header,
1.90 by 1.35mm
Pitch, Right Guided,
Left Endwall, 14
Columns, 252
Circuits, Pin Length
5.50mm, Plated
Through Hole
Dimension 0.39mm,
Lead-Free

This document was generated on 04/04/2013

PLEASE CHECK WWW.MOLEX.COM FOR LATEST PART INFORMATION